

Dated: 25.02.2026

RailTel Corporation of India Ltd
(A Government of India Enterprise)
6th floor, Tower II East Kidwai Nagar,
Plate-A, Kidwai Nagar, New Delhi,
Delhi 110023

Website: www.railtelindia.com

Corrigendum –I

Sub: Expression of Interest for Selection of Partner from Empaneled Business Associates For “Design, supply, deployment, academic integration, and capacity building related to Teaching Learning Materials (TLMs) and teacher professional development for Pre-Primary (Bal Vatika) to Grade V under Samagra Shiksha and PM SHRI Schools of end customer”

Ref: This office EOI No: RailTel/EOI/COMKTG/EB/TLM/2025-26/31 dated 24th Feb 2026

With reference to above EOI No: RailTel/EOI/COMKTG/EB/TLM/2025-26/31 dated 24th Feb 2026, the below mentioned changes will be part of EOI:

The annexure 7: **Price Bid Format (BOQ) (Financial Bid)** with password protected PDF to be submitted as per below table:

S.N.	Item/Service	Unit	per school Qty	Total Qty	Unit Rate (₹)	Total cost (₹)	GST (₹)	Total cost Incl. GST (₹)
1	ECCE Kit aligned with Jaadui Pitara (Age Group: 3–6 Years) as per ANNEXURE -1	6409	1	6409				
2	Teaching Learning Materials for Grades 1–2 (Age 5–7 years) as per ANNEXURE -2	9719	1	9719				
3	Teaching Learning Materials for Grades 3–5 (Age 8–11 years) as per ANNEXURE -2	9719	1	9719				
3	Teachers Training as mentioned in EOI for one pre-primary teachers for each 6409 schools and one primary teachers from each of 9719 schools for one day	16128	1	16128				
4	Conduct structured capacity-building for 9984 teachers 5	9984	1	9984				

	days hybrid (online/offline) for grade I							
	Total Project Cost:							
	Project cost in words:							
	Note : Material sourcing, Kit assembling, packing and distribution at school level, durability and one year warranty , Reporting, branding, Digital twin development, digital platform and other project required as mentioned in scope of work in this EOI.							

All other terms & conditions of subject EOI No.: RailTel/EOI/COMKTG/EB/TLM/2025-26/31 dated 24th Feb 2026 remain unchanged.

-SD