



RailTel Corporation of India Limited

A Government of India (Ministry of Railways) Undertaking

Southern Region Head Quarters, 1-10-39 to 44, 6A, 6th Floor, Gumidelli Towers, Begumpet Airport Road,
Opp. Shoppers Stop, Hyderabad-16 visit www.railtelindia.com, Tel: 040-27821134 Fax: 27820682,
Regd. Office: Plate-A, 6th Floor, Office Tower-2, NBCC Building, East Kidwai Nagar, New Delhi-23.

Corrigendum - II

GeM Bid No. GEM/2023/B/3006156

Date: 08.02.2023

Name of the Work: "Procurement of Racks for various locations of southern region"

Ref : GEM/2023/B/3006156, Dt.25.01.2023.

1. Corrigendum to Technical Specifications at Annexure - A of ATC has been issued.
2. Tender opening / closing date remain unchanged. i.e, 16.02.2023

All other T&C remains unchanged as per ATC.

This is issued with the approval of Competent Authority.

[Signature]
8/2/23

MGR/PROC/SR

For RailTel Corporation of India Ltd.,

Additional Terms and Conditions (With Corrigendum-II)

Name of the Supply: "Procurement of Racks for various locations of southern region"

GEM Bid No: GEM/2023/B/3006156

Dated:08.02.2023

1. The item/items in this bid should be quoted as per the technical specifications.
2. The bidder should be either OEM or his authorized dealer/distributor.
 - a. In case of the authorized distributor/partner certificate from the OEM to this effect should be submitted. The firm shall submit MAF as per FORM-III.
 - b. If OEM is quoting, then OEM should submit the certificate.
3. Bidders are required to submit duly filled and signed technical compliance for the Technical Specifications.
4. The bidder shall upload the compliance of this ATC along with GEM Bid.

1. Eligibility Criteria

1. Technical Eligibility Criteria:

a) The tenderer must have successfully completed any of the following during last 07 (seven) years, ending last day of month previous to the one in which tender is invited:

Three similar supplies each costing not less than the amount equal to 30% of advertised value of the tender, or

Two similar supplies each costing not less than the amount equal to 40% of advertised value of the tender, or

One similar supply each costing not less than the amount equal to 60% of advertised value of the tender.

Offers not accompanied by copies of POs and supplies completion certificate (user certificate in the format of Form no.1) will not be considered.

2. Financial Eligibility Criteria:

The tenderer must have received contractual payments in the previous three financial years and the current financial year up to the date of inviting of tender, at least 150% of the advertised value of the tender. The tenderers shall submit Certificates to this effect which may be an attested Certificate from the concerned department / client or Audited Balance Sheet duly certified by the Chartered Accountant/Certificate from Chartered Accountant duly supported by Audited Balance Sheet.

(Note: Client certificate from other than Govt. Organization should be duly supported by Form 16A/26AS generated through TRACES of Income Tax Department of India).The OEM should have proven facilities for Engineering, manufacture, assembly, integration and testing of Access Point and basic facilities with respect to space, Engineering, Personnel, Test

equipment, Manufacture, Training, Repair, Service Centre Supports for at least past three years in the country from where the proposed item are planned to be supplied. In case OEM is located outside India, it should have training repair and service centre facilities in India also. The certificates/Undertaking for the same will have to be submitted offline.

(The bidder will have to submit the proof of establishment for the facility).

3.Earnest Money Deposit (EMD): Rs.30,300/- through payment online through RTGS / internet banking in Beneficiary name RailTel Corporation of India Limited Account No. 33946516594, IFSC Code SBIN0020299, Bank Name: State Bank of India, Branch address: Veer Chambers, Ranga Reddy District, Begumpet – 500016. **The Bid received without EMD will be summarily rejected.**

Note: Firms registered with UDYAM certification for the tendered item / work is exempted from submission of EMD. Firms claiming for the above exemptions under UDYAM certification have to submit supporting documents.

4. Warranty: The materials are to be warrantied for a minimum period of 12 months from the date of receipt & acceptance of material.

5. Completion Period of Supply: The supply should be completed within **45 days** from the date of issue of Letter of Acceptance/PO.

6. Consignee Details:

RailTel Corporation of India Ltd., As per Annexure-A

7. Tender Clarifications:

Contact Person: Venkat Rao : 9866247962

Manikantan : 7032915139

8. Schedule of Requirement (SOR):

No	Item	Consolidated indent Qty (in Nos)				Total Qty (in Nos)	Unit Rate Incl. freight, insurance, Loading & unloading (in Rs.)	GST @ 18% (in Rs.)	All inclusive rate (in Rs.)	Total Amount (AIR*Qty in Rs.)
		Secunderabad	Chennai	Bangalore	Ernakulam					
1	19"6U Racks	47	15	27	6	95				
2	19"9U Racks	19	3	7	0	29				
3	19"15U Racks	2	0	0	0	2				
4	19"27U Racks	16	0	20	0	36				
5	19" 42U Racks	12	2	4	1	19				
									Grand Total	

9. Security deposit (SD): The successful tenderer shall submit 3% of total value of the stores detailed in the Acceptance Offer towards security deposit in the form of DD/FDR or irrevocable Bank Guarantee from any scheduled bank for due fulfilment of contract. The instrument shall be valid for three months beyond the warranty period. The security deposit shall be released after successful completion of contract including warranty period, duly adjusting any dues recoverable from the successful tenderer. Payment of Security Deposit in the form of Pay Order/Demand Draft should be made in favour of "RailTel Corporation of India Ltd" payable at Secunderabad only, within 30 days of issue of purchase order.

10. PBG: In case, successful tenderer wishes to furnish security deposit in the form of Performance Bank Guarantee of value equal to Security Deposit, the same should be submitted within 30 days of issue of purchase order, failing which a penalty interest of 15% per annum shall be charged for the delay period i.e., beyond 30 (thirty) days from the date of issue of LOA/PO. This PBG should be from a Scheduled Bank and should cover **warranty period plus three months** for lodging the claim. The performance security Bond will be discharged by the Purchaser after completion of the supplier's performance obligations including any warranty obligations under the contract. PBG format specified in Note:

A separate advice of the BG will invariably be sent by the BG issuing bank to the RailTel's Bank through SFMS and only after this the BG will become acceptable to RailTel. It is therefore in own interest of bidder to obtain RailTel's bank IFSC code, its branch and

address and advise these particulars to the BG issuing bank and request them to send advice of BG through SFMS to the RailTel's Bank.

11. In case, if any contradiction between GeM Bid and Additional Terms & Conditions, RailTel's Bid Specific Additional Terms & Conditions will prevail.
12. **Payment Terms:** Payment will be done after submission of the following documents:
 - i. Invoice.
 - ii. Delivery Challan/E-way bill
 - iii. Contractor's certificate of dispatch
 - iv. Undertaking against Fall Clause
 - v. Inspection Certificate
 - vi. Consignee's receipt
 - vii. Warranty guarantee certificate of OEM
 - viii. Performance Bank Guarantee
 - ix. Insurance Certificate valid till completion of supplies
 - x. OEM certificate for the ordered quantity/ material supplied as per specification.
 - xi. 100% payment against receipt and acceptance of material by consignee.

13. Bill Passing & Paying Authority:

Bill passing Authority is respective Territory Managers (TM) and bill paying Authority is DGM/Fin/SR/SC. Bills to be submitted to respective Territory Managers (TM) for payment.

14. The tenderer shall submit a notarized affidavit on a **non-judicial stamp paper** stating that they are not liable to be disqualified and all their statement/documents submitted along with bid are true and factual. Standard format of the affidavit to be submitted by the bidder is enclosed as **Form-V. Non submission of an affidavit by the bidder shall result in summarily rejection of his/their bid.** And it shall be mandatorily incumbent upon the tenderer to identify state and submit the supporting **documents duly self-attested** by which they/he is qualifying the Qualifying Criteria mentioned in the Tender Document. It will not be obligatory on the part of Tender Committee to scrutinize beyond the submitted document of tenderer as far as his qualification for the tender is concerned.

The RailTel (RCIL) reserves the right to verify all statements, information and documents submitted by the bidder in his tender offer, and the bidder shall, when so required by the RailTel (RCIL), make available all such information, evidence and documents as may be necessary for such verification. Any such verification or lack of

such verification by the RailTel (RCIL) shall not relieve the bidder of its obligations or liabilities hereunder nor will it affect any rights of the RailTel/Railway there under.

In case of any wrong information submitted by tenderer, the contract shall be terminated. Performance Guarantee (PG) of the contract will be forfeited and agency barred for doing business on RailTel (RCIL) for 3years.

15. Online Submissions:

The bidder is required to upload and submit the following documents on line before due date & time of bid. The due date & time for closing of the bid as per GeM Bid and the bid will be opened as per GeM Bid.

- (i) EMD.
- (ii) Clause wise compliance along with all mentioned documents/Forms for all clauses of GeM Bid and ATC (Information to bidder) documents.
- (iii) Data Sheet of offered item/equipment.
- (iv) Financial (Certified copies of audited balance sheets/annual reports of last three preceding financial years) and Technical Eligibility Criteria documents.
- (v) Technical Compliance of all Specification of items as per ATC documents.
- (vi) Proof of document required against Eligibility criteria of OEM (or) Authorized bidder of OEM vide para 11 / 12 as applicable.
- (vii) Statement of deviation as per **Form-II**
- (viii) MAF/OEM Authorization as per **Form-III**
- (ix) Notarized affidavit on a non-judicial stamp paper as per **Form-V**.
- (x) Notarized Power of Attorney in name of authorized signatory

16. Offline documents:

Original copy of documents shall be submitted by tenderer offline at RailTel Corporation of India Ltd., 6A, 6th Floor, Gumidelli Towers, Opp: Shoppers Stop, Begumpet – 500016 at any point of time whenever asked for verification.

17. Insurance:

- i. The Contractor shall take out and keep in force a policy or policies of insurance from the date, the delivery of material starts (including the transit portion) against all liabilities of the contractor or the Purchaser. The contractor shall take out and keep in force a Policy or policies of Insurance for all materials covered in schedule of requirement irrespective of whether used up in the portion of work/supplies already done or kept for the use in the balance portion of the work/supplies until such material are provisionally handed over to RailTel. The contractor should ensure the stores brought to site, against risks as required under the Emergency Risk (Goods) Insurance Act in force from time to time up to contract value.
- ii. It may be noted that the beneficiary of the insurance policy should be RailTel or the policies should be pledged in favour of RailTel. The contractor shall keep the

policy/policies current till the item/equipment are handed over to the purchaser and I&C of the same.

18. Constitution of Firm and Power of Attorney:

18.1 Any individual(s) signing the tender or other documents connected therewith should specify whether he is signing: -

- (a) As sole proprietor of the concern or as attorney of the sole Proprietor.
- (b) As partner or partners of the firm.
- (c) As a Director, Manager or Secretary in the case of Limited Company duly authorized by a resolution passed by Board of Directors or in pursuance of the authority conferred by Memorandum of Association.

18.2 In the case of a firm not registered under the Indian Partnership Act, all the partners or the attorney duly authorized by all of them should sign the tender and all connected documents. The original Power of Attorney or other documents empowering the individual or individuals to sign should be furnished to the Purchaser for verification, if required.

18.3 The RailTel will not be bound by Power of Attorney granted by the tenderer or by the changes in the composition of the firm made subsequent to the execution of the contract agreement.

18.4 In case where Power of Attorney partnership deed has not been executed in English, the true and authenticated copies of the translation of the same by Advocate, authorized translators of Courts and licensed Petition Writers should be supplied by the contractor(s), while tendering of the work.

18.5 The duly notarized Power of Attorney shall be submitted in original at the time of bid submission as per clause above.

Note:

- 1) The bidder is required to give acceptance of all the clauses of **GeM bid, ATC** and RailTel's Bid Specific **ATC** document. Any deviation / non-acceptance may lead to rejection of the bid.
- 2) Information to Bidder viz. corrigendum /addendum/ amendments etc. for this bid shall be posted on www.railtelindia.com and GeM only.
- 3) This bid is governed by the Specific Additional Terms & Conditions and General Terms & Conditions laid down by the GeM against **GeM Bid No: GEM/2023/B/3006156**

4) After opening of the technical bid no correspondence/submission of document made at the initiative of the bidder will be entertained. However, the purchaser can, if required, ask for clarifications which need to be submitted before a target date. The clarifications submitted as required by the purchaser before the target date will be considered.

In case, if any contradiction between GeM Bid, Additional Terms & Conditions, RailTel's Bid Specific Additional Terms & Conditions and General Terms & Conditions, RailTel's Bid Specific Additional Terms & Conditions will prevail.

19. DENIAL CLAUSE - Supplier will not be entitled to any benefit of upward statutory variations in GST rates Announced after expiry of the original Delivery Period as per purchase order & in Case of reduction in GST rates if any, benefit will be passed on to RailTel at any stage of the contract.

Annexure – A

TECHNICAL SPECIFICATION FOR RACKS OF VARIOUS SIZES

1. Purpose

The purpose of this document is to provide specifications for “**Racks various sizes to locations of southern region.**”

2. General Technical Requirements:

A. Thickness of Material:

- Wall Mount and its components should be made from CRCA Steel Material – at least 1.2 mm to 1.5 mm thick for 6U,9U,15U & 27U Racks. For 42U Racks thickness should be 1.5 mm to 2.0 mm.
- Mounting rails (2 Pairs) be made from CRCA Steel Material at least 2mm thick.

B. Basic Structure:

- Basic structure of CRCA Steel in a welded frame with top, bottom and side frame.
- Cable Entry Provision should be made on the Top and Bottom of the Cabinets with appropriate Grommets / Closers.
- Ventilation slots to be provided at the Bottom of the Front & side Faces for proper ventilation.
- Structure should be rigid and should allow front and rear mounting angles to be fixed at desired depth, so as to accommodate cable manger & patch chords.

C. Power Management:

- PDU with protection from power surge (Fuse/MCB), should be of branded make such as HAVELLS or equivalent.
- Overall rating of the power strip should be 16A and it should have Single Pole ON/OFF switch with indicator as an isolator.
- 3m long power input cable should be provided with appropriate rating and 15A Indian type plug.

D. Heat Management: Fan should be of AC 230V with flow volume of at least 90 CFM. Proper finger guards to be provided on the fans duly riveted to avoid any loosening.

E. Powder Coating Details: Thickness of powder coating should be >50 Microns.

F. Certifications, Environmental and Safety Requirements:

- Racks should be manufactured by ISO9001, 14001, 27001, 45001, Certified company.

- Manufacturer must certify that the products are RoHS Compliance.
- The rack should comply minimum of IP 20 rating.

G. Marking:

The marking in the system shall carry the following minimum information on the front/side/top panel of the system as indicated by RailTel.

- Manufacture's name, date & year of production
- Serial number:
- Model no:
- Capacity:
- RailTel Logo



6U Rack Specifications:

- Wall mount racks, Size of Rack Enclosure- 6U, Depth of the Rack (mm)- 600.
- Mount Type: Wall mount, Front glass Door: Yes, Type of glass used in front door: Transparent Toughened Glass.
- Material used for rear door: Cold Rolled Steel Metal, Rear Door: No. Back side of the rack should be closed with a removable panel.
- Side Panels: Fixed type.
- Secure Locks for doors: Available.
- Shelf For CRT/TFT Display: No.
- Cable Channel in rear side for cable management: Yes, Support cable entry from top or bottom: Yes.
- The rack should be fitted with one modem tray 19 inches. Horizontal managers: Yes.
- Numbers of Rack trays: 1, **Number of Fan for Heat dissipation (nos): 2**, Number of fan trays: 1, Heavy Duty Caster Wheels: No, If yes, then Front Break Options: N/A, Load Bearing Capacity (Kgs): 25.
- If Wall mount racks then, Swing-Out Racks: N/A, Dust or water resistant: No.
- PDU Power Strips of 6x5A with MCB protections: Yes.
- Copper Earthing Strip -Yes.

9U Rack Specifications:

- Type of Racks: Wall mount racks, Size of Rack Enclosure- 9U, Depth of the Rack (mm)- 600.
- Mount Type: Wall mount, Front glass Door: Yes, Type of glass used in front door: Transparent Toughened Glass.
- Material used for rear door: Cold Rolled Steel Metal, Rear Door: No. Back side of the rack should be closed with a removable panel.
- Side Panels: Fixed type.
- Secure Locks for doors: Available, Keyboard Tray Sliding and Rotary: No.

- Shelf For CRT/TFT Display: No, Cable Channel in rear side for cable management: Yes, Support cable entry from top or bottom: Yes.
- The rack should be fitted with one modem tray 19 inches. Horizontal managers: Yes.
- Numbers of Rack trays: 2, Number of Fan for Heat dissipation (nos): 2, Number of fan trays: 1, Heavy Duty Caster Wheels: No. If yes, then Front Break Options: N/A, Load Bearing Capacity (Kgs): 45.
- If Wall mount racks then, Swing-Out Racks: N/A, Dust or. water resistant: No.
- PDU Power Strips, 6x5A with MCB protections: Yes.
- Copper Earthing Strip -Yes.

15U Rack Specifications:

- Type of Racks: Floor mount racks, Size of Rack Enclosure- 15U, Depth of the Rack (mm)- 600.
- Mount Type: Floor mount, Front glass Door: Yes, Type of glass used in front door: Transparent Toughened Glass.
- Material used for rear door: Cold Rolled Steel Metal, Rear Door: Yes.
- Side Panels: Fixed type.
- Secure Locks for doors: Available, Keyboard Tray Sliding and Rotary: No.
- Shelf For CRT/TFT Display: No.
- Cable Channel in rear side for cable management: Yes, Support cable entry from top or bottom: Yes.
- Number of Horizontal cable managers: 2, Numbers of Modem trays: 2.
- Number of Fan for Heat dissipation (no's): 2, Number of fan trays: 1.
- Heavy Duty Caster Wheels: yes. If yes, then Front Break Options: Available
- Load Bearing Capacity (Kgs): 100.
- PDU Power Strips of 6x5A with MCB protections: Yes.
- Copper Earthing Strip -Yes.

27U Rack Specifications:

- Type of Racks: Floor mount Enclosure, Size of Rack Enclosure- 27U.
- Depth of the Rack (mm)- 600 mm.
- Mount Type: Free-Standing floor mount, Front glass Door: Yes, Type of glass used in front door: Transparent Toughened Glass.
- Material used for rear door: Cold Rolled Steel Metal/CRCA Steel, Rear Door: Yes.
- **Side Panels: Removable.**
- Secure Locks for doors: Available, Keyboard Tray Sliding and Rotary: No.
- Shelf For CRT/TFT Display: No.
- Cable Channel in rear side for cable management: Yes.
- Support cable entry from top or bottom: Yes.
- Number of Horizontal cable managers: 3, Number of modem trays: 4.
- Number of Fan for Heat dissipation (no's): 4, Number of fan trays: 1.
- Heavy Duty Caster Wheels: Yes, if yes, then Front Break Options: Available.
- Load Bearing Capacity (Kgs): 300.
- PDU **dual** Power Strips of 12x5A with MCB protections: Yes.
- Copper Earthing Strip -Yes.

42U Rack Specifications:

- Type of Racks: Floor mount Enclosure, Size of Rack Enclosure- 42U.
- Depth of the Rack (mm)- 600 mm.
- Mount Type: Free-Standing floor mount, Front glass Door: Yes, Type of glass used in front door: Transparent Toughened Glass.
- Material used for rear door: Cold Rolled Steel Metal/CRCA Steel, Rear Door: Yes.
- Secure Locks for doors: Available, Keyboard Tray Sliding and Rotary: No.
- Shelf For CRT/TFT Display: Yes.
- Cable Channel in rear side for cable management: Yes.
- Support cable entry from top or bottom: Yes, Vertical & Horizontal managers: Yes.
- Number of Horizontal cable managers: 4, Number of modem trays: 4.
- Number of Fan for Heat dissipation (nos): 4, Number of fan trays: 1.
- Heavy Duty Caster Wheels: Yes.
- If yes, then Front Break Options: Available.
- Load Bearing Capacity (Kgs): 500.
- PDU **dual** Power Strips of 12x5A with MCB protections: Yes.
- Copper Earthing Strip -Yes.
- **Side Panels : Removable.**

FORM-I

QUALIFYING CRITERIA USER's CERTIFICATE

Name of the Firm Contract No. & date

Scope of supply

Contract Amount (in Indian Rupees)

Completion Period as per contract

Data of Commencement

Actual date of Successful Completion

Quality of supply : Satisfactory / unsatisfactory
(Please specify)

Name:

Dated:

Designation:

E-mail id:

Contact No:

FORM-II**PROFORMA FOR STATEMENT OF DEVIATIONS**

- (1) The following are the particulars of deviations from the requirements of the tender specification.

Clause	Deviation	Remarks
		(including justification)

- (2) The following are the particulars of deviations from the requirements of the instructions to Tenderers, General and Special Conditions of contract-

Clause	Deviation	Remarks
		(including justification)

Signature and seal of the Tenderer

Note: Where there is no deviation, the statement should be returned duly signed with an endorsement indicating "No Deviations".

FORM III

Manufacturer Authorization form (MAF)

ED/SR,

Dated:

RailTel Corporation of India Ltd.

.....
.....
.....

Subject: Manufacturer Authorization form (MAF) to M/s for
.....

Ref: GeM Bid No.

Dear Sir,

We, M/s....., are established and reputed manufacturer and service provider of(Product details), having our registered office at

We hereby authorize M/s (bidder name), Office to participate in bid and subsequently upon award of the bid to execute the supply of our range of products against your above said bid.

We further extend our warranty for years for our range of products offered by M/s against the above-said bid.

Thanking you,

Best regards,

Authorized Signatory

FORM - IV**Guarantee Bond for Performance Guarantee****(On Stamp Paper of requisite value)****(To be used by approved Scheduled Banks)**

1. In consideration of the RailTel Corporation of India Limited, Registered office at Plate-A, 6th Floor, Office Block, Tower-2, East Kidwai Nagar, New Delhi-110023 and Regional office at RailTel Corporation of India Ltd, 6A, 6th Floor, Gumidelli Towers, Begumpet, Hyderabad-50016 (hereinafter called "the RailTel") having agreed to exempt **(Name and address of the Company/ Contractor both Registered and Regional office address)** (hereinafter called "the said Contractor(s)") from the demand, under the terms and conditions of an L.O.A No..... Dated..... [L.O.A Date] made between and RailTel Corporation of India Limited, for [Name of Work/Supply of Materials] (hereinafter called "the said Agreement") of **Performance Guarantee** for the due fulfilment by the said contractor's) of the terms and conditions contained in the said Agreement, or production of a Bank Guarantee for Rs..... (Rs. Only). We, (indicate the name of the Bank and address) hereinafter referred to as "the Bank") at the request of. M/s..... Contractor(s) do hereby undertake to pay the **RailTel** an amount not exceeding Rs. Against any loss or damage caused to or suffered or would be caused to or suffered by the RailTel by reason of any breach by the said Contractor(s) of any of the terms or conditions contained in the said Agreement.

2. We, Bank (indicate the name of the Bank and address) do hereby undertake to pay the amount due and payable under this Guarantee without any demur, merely on demand from the **RailTel** stating that the amount is claimed is due by way of loss or damage caused to or would be caused to or suffered by the **RailTel** by reason of breach by the said Contractor(s) of any of terms or conditions contained in the said.

Agreement or by reason of the Contractor(s) failure to perform the said Agreement. Any such demand made on the Bank shall be conclusive as regards the amount due and payable by the Bank under this guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs.

3. We, Bank (indicate the name of the Bank

and address) undertake to pay to the **RailTel** any money so demanded notwithstanding any dispute or disputes raised by the Contractor(s) / Supplier(s) in any suit or proceedings pending before any court or Tribunal relating thereto our liability under this present being, absolute and unequivocal.

The Payment so made by us under this Bond shall be a valid discharge of our liability for payment there under and the Contractor(s) / Supplier(s) shall have no claim against us for making such payment.

4. We, Bank (indicate the name of the Bank and address) further agree that the Guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said Agreement and that it shall continue to be enforceable till all the dues of the RailTel under or by virtue of the said Agreement have been fully paid and its claims satisfied or discharged or till **RailTel** certifies that the terms and conditions of the said Agreement have been fully and properly carried out by the said Contractor(s) and accordingly discharges this Guarantee. Unless a demand or claim under the Guarantee is made on us in writing on or before the We shall be discharged from all liability under this Guarantee thereafter.

5. We,(indicate the name of the Bank and address) further agree with the **RailTel** that the **RailTel** shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the Agreement or to extend time of to postpone for any time or from time to time any of the powers exercisable by the **RailTel** against the said contractor(s) and to forbear or enforce any of the terms and conditions relating to the said Agreement and we shall not be relieved from our liability by reason of any such variation, or extension to the said Contractor(s) or for any forbearance, act or omission on the part of **RailTel** or any indulgence by the **RailTel** to the said Contractor(s) or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.

6. This Guarantee will not be discharged due to the change in the Constitution of the Bank or the Contractor(s) Supplier(s).

7. We, (indicate the name of Bank) lastly undertake not to revoke this Guarantee during its currency except with the previous consent of the **RailTel** in writing.

8. Notwithstanding anything contained herein,

1. Our liability under the Bank guarantee shall not exceed Rs. (In Rupees)

2. This Bank Guarantee shall be valid up toand
3. We are liable to pay the guaranteed and or any part thereof under this Bank Guarantee only and only if you serve upon is a written claims or demand or before
- (date of expiry of guarantee).

Dated the day of 2023 for

(Indicate the name of the Bank) Witness:

1. Signature Name
2. Signature Name

Form-V**FORMAT FOR AFFIDAVIT TO BE SUBMITTED BY TENDERER ALONG WITH THE TENDER BID DOCUMENTS**

(To be executed in presence of Public notary on non-judicial stamp paper of the value of Rs. 100/-. The paper has to be in the name of the tenderer)

I(Name and designation)** appointed as the attorney/authorized signatory of the tenderer (including its constituents), M/s _____ (hereinafter called the tenderer) for the purpose of the Tender documents for the work/supply of _____ as per the tender No. _____ of (RailTel), do hereby solemnly affirm and state on the behalf of the tenderer including its constituents as under:

1. I/we the tenderer (s), am/are signing this document after carefully reading the contents.
2. I/we the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3. I/we hereby declare that I/we have downloaded the tender conditions from RailTel website www.railtelindia.com/ <https://www.GeM.gov.in>. I/we have verified the content of the document from the website and there is no addition, no deletion or no alternation to the content of the tender conditions. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work/supply or final payment of the contract, the master copy available with the RailTel Administration shall be final and binding upon me/us.
4. I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5. **I/we also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.**
6. **I/we declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.**
7. I/we undersigned that if the certificates regarding eligibility criteria submitted by us are found to be forged/false or incorrect at any time during process for evaluation of tenders, it shall lead to forfeiture of the tender BID SECURITY DECLARATION besides banning of business for five years on entire RailTel. Further, I/we (insert name of the tenderer)** _____ and all my/our constituents understand that my/our constituents understand that my/our offer shall be **summarily rejected**.
8. I/we also understand that if the certificates submitted by us are found to be false/forged or incorrect at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture

of BID SECURITY DECLARATION/SD and Performance guarantee besides any other action provided in the contract including banning of business for five years on entire RailTel.

DEPONENT
SEAL AND SIGNATURE OF THE TENDERER
VERIFICATION

I/we above named tender do hereby solemnly affirm and verify that the contents of my/our above affidavit are true and correct. Nothing has been concealed and no part of it is false.

DEPONENT

SEAL AND SIGNATURE OF THE TENDERER
Place:
Date:

****The contents in Italics are only for guidance purpose. Details as appropriate are to be filled in suitably by tenderer. Attestation before Magistrate/Notary Public.**

Annexure- A

S. No.	Location	Consignee Address	19 inches Racks					Consignee Contact Details	Billing Address
			6U	9U	15 U	27 U	42 U		
1	Chennai	RailTel Corporation of India Ltd -- Southern Railway, SSE/Tele/OFC Room, opposite to playground near Railway quarters, Tambaram east - 600 045.	15	3	0	0	0	Project engineer: Shri. Poorna Chandran - 9677129981 & V. Balaji- Manager - 9003144223	RailTel Corporation of india Ltd,4th Floor, 275E, Southern Railway, Egmore, Chennai, Tamil Nadu, 600008.
		RailTel Corporation of India Ltd -- Southern Railway, Pondicherry Railway Station, Pondicherry. Pin code - 605001	0	0	0	0	1	FE:Shri.Krishna moorthy - 9003144226 & V.Balaji - Manager - 9003144223	
		RailTel Corporation of India Ltd -- Railway Microwave station, Trichy Main Road, Southern Railway Colony, Coimbatore - 641 018	0	0	0	0	1	FE:Shri Jagdeesh - 9677129979 & Ravi Verma- 7358874342	
2	Secunderabad	RAILTEL CORPORATION OF INDIA Ltd., Plot No: 24-87/5/107&108, Laxminarayana colony, IDA uppal, Hyderabad -500039.	47	19	2	16	12	Ashok Kumar- 9100970641 Sr. Manager/ Stores	RailTel Corporation of india Ltd,2nd Floor, B-block, Rail Nilayam, Secunderabad, Hyderabad, Telangana 500071.
3	Bangalore	RailTel Corporation of India Ltd, C/o Rajashekar VA, #31/1, Ground Floor, DN Ramaiah Layout, Palace Guttahalli, Sheshadripuram, Bengaluru, Karnataka- 560020.	27	7	0	20	4	Gokul: 8098889817, Mahesh Kumar Gupta: 9008032897	RailTel Corporation of India Ltd,6/1,12th main, Vasanth Nagar, Palace Road, Bengaluru (Bangalore) Urban, Karnataka, 560052.
4	Ernakulam	RailTel Corporation of India Ltd, 1st FLOOR, EASTERN ENTRY TOWER, ERNAKULAM SOUTH RAILWAY STATION, KOCHI-682016.	6	0	0	0	1	K.P. Ajith Kumar, AGM/POM/ERS 9746769882	RailTel Corporation of India Ltd, Eastern entry tower, Ernakulam South Railway Station, Kochi, Ernakulam, Kerala, 682016.