



# RailTel Corporation of India Limited

*A Government of India (Ministry of Railways) Undertaking*

Southern Region Head Quarters, Second Floor, B-Block, Rail Nilayam, Secunderabad-500071 (AP)

visit [www.railtelindia.com](http://www.railtelindia.com), Tel: 040-27821134 Fax: 27820682,

Corp. & Regd. Office: Plot no 143, Institutional Area, Sector-44, Gurgaon-122003.

## CORRIGENDUM/ADDENDUM-5

**Tender Nos. RailTel/e-Tender/OT/SR/HQ/2022-23/40-82**

**Dt.06.09.2022**

Tender no. RailTel/e-Tender/OT/SR/HQ/2022-23/40-82, Dt. 22.07.2022 & Corrigendum-1 dt.29-07-2022,

Corrigendum-2 dt. 12-08-2022, Corrigendum-3 dt.25-08-2022 & Corrigendum-4 dt. 01-09-2022

Name of the Work: "Deployment of maintenance teams for maintenance of OFC cable network and upkeep of associated gears/equipment for a period of 2 year and extendable by one year on same terms & conditions"

\*\*\*

In continuation to Corrigendum/Addendum 1, 2, 3 & 4 above, Corrigendum/addendum-5 is issued herewith for modification to clauses and addition of clauses as detailed below:

| Clause No/Item Description                                                                            | As per Tender Document/ Corrigendum if any                                                                                                                                                                                                                                                                                                                     | To be Read as                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Preamble<br>Table-SI.No.-3                                                                            | Up-keep of infrastructure like AC machine, DG sets, shelter , power plant and associated control equipment etc.                                                                                                                                                                                                                                                | Up-keep of infrastructure like shelter , power plant and associated control equipment etc                                                                                                                                                                                                                                                                                                                                                                                       |
| Preamble<br>3.1 Technical Capability:<br>Tenderers should have<br>(a) Performed OFC route maintenance | Performed OFC route maintenance for a continuous stretch of more than 150 Kms (One hundred fifty kilometres) for a minimum period of 6 (six) months in the past three financial years & current year before the date of opening of tender                                                                                                                      | Performed OFC route maintenance for a continuous stretch of more than 150 Kms (One hundred fifty kilometres) for a minimum period of 3 (three) months in the past three financial years & current year before the date of opening of tender                                                                                                                                                                                                                                     |
| Preamble new clause as 28                                                                             | New clause                                                                                                                                                                                                                                                                                                                                                     | 28. The Bidder should not be blacklisted/debarred/banned by any Central Govt./Union Govt./State Govt. / any PSU as on date of submission of the Bid.                                                                                                                                                                                                                                                                                                                            |
| Introduction 2<br>Scope of work, 2.3 for carrying out the other miscellaneous works                   | The contractor shall also carry out other miscellaneous works such as proper up keep of Telecom equipment, power plant, DG sets, Air Conditioners, minor repairing of shelters/ building, Earthing arrangements general cleanliness of the RailTel's POP, and other such activity                                                                              | The contractor shall also carry out other miscellaneous works such as proper up keep of Telecom equipment, power plant, minor repairing of shelters/ building, Earthing arrangements general cleanliness of the RailTel's POP, and other such activity                                                                                                                                                                                                                          |
| Introduction 2<br>Scope of work, 2.5.6 Liasioning --                                                  | Liasioning also shall be maintained with other department like NHAI-----, which may directly or indirectly affect the OFC in the section. However, only cost of the material (JC and JE), may be reimbursed at SoR-B rates by RailTel for rectification of cuts during large scale Railway/NHAI works in all the O&M contracts with the approval of ED/Region. | Liasioning also shall be maintained with other department like NHAI-----, which may directly or indirectly affect the OFC in the section. However, only cost of the material (JC and JE), may be reimbursed at SoR-B rates by RailTel for rectification of cuts during large scale Railway/NHAI works in all the O&M contracts with the approval of ED/Region. In addition to the above, Patch chords and FDMS where ever required in all PoPs will also be supplied by RailTel |

*Cew*  
6/9/2022

|                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Introduction 2<br>Scope of work,<br>2.7.1.1 new clause                          | New clause                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 2.7.1.1 The contractor shall also facilitate support to Station Wi-Fi maintenance as advised by RailTel's section-in-charge                                                                                                                                                                                                                                                                                                                                                            |
| Introduction 2<br>Scope of work,<br>2.10.1 to check the functioning             | The contractor will also check the functioning of Power Plant , Air conditioners and DG sets in the RailTel POP and report immediately to Engineer in case of defect or if the temperature at the POP is high. Minor repairs to the Shelter /Building/POP like Water proof sealing of shelter, repair to DOOR handles, WINDOW/DOOR PACKING etc will also be carried out by the contractor without any additional payment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | The contractor will also check the functioning of Power Plant in the RailTel POP and report immediately to Engineer in case of defect or if the temperature at the POP is high. Minor repairs to the Shelter /Building/POP like Water proof sealing of shelter, repair to DOOR handles, WINDOW/DOOR PACKING & general maintenance in respect of electrical items such as fans, lights and upkeep of POPs etc will also be carried out by the contractor without any additional payment |
| Introduction 2<br>Scope of work,<br>2.10.2 test the working of diesel generator | <p>The contractor will test the working of diesel generator by running it for 30 minutes once in a month on load. After monitoring the condition of Diesel Generator (DG set) if filling up of lube oil and or diesel oil is required, the contractor will arrange the same from the nearest petrol pump/depot approved by the Engineer. The cost of lube oil/diesel oil will be reimbursed by RailTel as per actual on production of the receipt. In addition to it, 5% payment will be made towards cartage charges. Consumption of Diesel oil shall be verified based on the hour meter reading provided on the diesel generator. Contractor's supervisor has to maintain DG Run &amp; HSD Oil consumption Register as per Proforma-20 of Tender Document. This will be verified by RailTel section-in-charge and certified.</p> <p>The contractor shall ensure attention to electrical problems associated with 230 V AC supply. The cost of material used in the rectification will be reimbursed as verified from site of work</p> | The contractor will fill up of lube oil and or diesel oil as per instructions of Section Engineer-In-Charge if is required, the contractor will arrange the same from the nearest petrol pump/depot approved by the Engineer. The cost of lube oil/diesel oil will be reimbursed by RailTel as per actual on production of the receipt. In addition to it, 5% payment will be made towards cartage charges.                                                                            |
| Introduction 4<br>Payment Terms,<br>4.4.1 cost of JE                            | Cumulative Repair Time of the faults ----- has to be reimbursed beyond 2 nos in bi-monthly bill in case of city access network only to be maintained by the contractor free of cost. Since it is re-imbursement, supplementary bill duly certified by section-in-charge and TM will be submitted for approval of ED and re-imbursement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Cumulative Repair Time of the faults ----has to be reimbursed in case of city access network only to be maintained by the contractor free of cost. Since it is re-imbursement, supplementary bill duly certified by section-in-charge and TM will be submitted for approval of ED and re-imbursement. In addition to the above, Patch chords and FDMS where ever required in all PoPs will also be supplied by RailTel                                                                 |



*Cent*  
6/9/2022

|                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Hedding:<br/>Upkeep of associated assets like --</p> <p>Scope of work<br/>Clause 1</p> <p>Clause (B) upkeep of AC</p> <p>Clause (C) upkeep of DG<br/>1, 2 a to j</p> <p>4</p> <p>5</p> <p>6</p>                           | <p>Upkeep of associated assets like Power Plant, Airconditioners, Voltage stabilizers, Change over unit D.G.Sets, Shelters, Earthing and--- One time cost of repairing/ replacement of faulty/defective equipment will be borne by RailTel on actual basis</p> <p>At the time of taken over the section from outgoing maintenance agency, a station wise Joint inspection will be done by RailTel Engineer &amp; Contractor representative to check the functioning of different equipments like Air Conditioners, DG sets, earthing ,power plant and shelters</p> <p>(B) Upkeep of Air Conditioner, Voltage stabilizers and Change over unit:</p> <p>Clause (C) upkeep of DG Sets</p> <p>1. Function checking, ---</p> <p>2. a to j: Testing on load --<br/>The contractor shall utilize ---</p> <p>4. The breakdown machine ----</p> <p>5. Any component of DG set ---.</p> <p>6. A history register is to be maintained to keep record of repair/repairable spares, schedule breakdown details etc.</p> | <p>Upkeep of associated assets like Power Plant, Shelters, Earthing and --- One time cost of repairing/replacement of faulty/ defective equipment will be borne by RailTel on actual basis</p> <p>At the time of taken over the section from outgoing maintenance agency, a station wise Joint inspection will be done by RailTel Engineer &amp; Contractor representative to check the functioning of different equipments like earthing, power plant and shelters</p> <p>(B) deleted</p> <p>Clause (C) upkeep of DG Sets</p> <p>1. deleted</p> <p>2. a to j: deleted<br/>deleted</p> <p>4. deleted</p> <p>5. deleted</p> <p>6. deleted</p>                                                                                                                                                                                                                       |
| <p>Jurisdiction of OFC Maintenance Sections Annexure-A</p> <p>b) The list of AC</p> <p>c) The list of DG</p> <p>Note: Currently</p> <p>Tables for details of AC Unit and DG Sets</p>                                         | <p>b) The list of window/split type room air conditioning machines ----</p> <p>c) The list of 5/7.5/15 KVA, Single / three Phases, Air Cooled, Diesel Generator (Silent type) -----</p> <p>Note: Currently section is not equipped with any A/C units or DG sets as per site requirements same may be equipped in future i.e during the AMC contract period</p> <p>Tables for details of AC Unit and DG Sets</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <p>b) deleted</p> <p>c) deleted</p> <p>Note: deleted</p> <p>Tables for details of AC Unit and DG Sets - Deleted</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <p>Annexure – B</p> <p>Minimum Man &amp; Machine/ Equipments required to be engaged under one Maintenance Team:</p> <p>(a) 3 Electrical Technician</p> <p>(a) 4 Patrollers</p> <p>(a)new added as 8</p> <p>(b) 1 Vehicle</p> | <p>(a) 3: Electrical Technician for Power Plant, DG sets, AC unit, wiring etc</p> <p>(a) 4: Patrollers with cell phone for surveillance, liaison and foot patrolling and train patrolling (one Man for about 50kms beat)</p> <p>(a) 8--</p> <p>(b) 1 Vehicle with Double Cabin &amp; deck similar to Tata Xenon/ Bolero Camper or equivalent Utility Vehicle for transportation of men, machines and stores. Vehicle shall be in good working condition not more than three years old</p> <p>2. Portable Generator set Kirlosker/Honda/Eicher or similar make, lighting arrangement like emergency light/gas light</p> <p>New clause 20</p> <p>New clause 21</p>                                                                                                                                                                                                                                                                                                                                           | <p>(a) 3: Electrical Technician : Deleted</p> <p>(a) 4: Patrollers with cell phone for surveillance, liaison and foot patrolling and train patrolling (one Man for about 50kms beat or as defined separately in the tender document for each section listed at Annexure-F)</p> <p>(a) 8: All team members should have 4G enabled mobile handset(with GPS monitoring) failing which it will be treated as the team member is not available on that day and penalty will be imposed for non availability of team member as defined.</p> <p>(b) 1: Vehicle to be pickup truck with 2 Indoor Cabins &amp; one open carriage area similar to Tata Yodha/Sumo/ Bolero or similar model or equivalent Utility Vehicle fitted with GPS tracker for transportation of men, machines and stores. Vehicle shall be in good working condition not more than five years old</p> |

*6/9/2022*

| 2 Portable Generator set –<br><br>New clause added as 20 & 21                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 2. Portable Generator set<br>Kirlosker/Honda/Eicher or similar make or suitable power storage device, lighting arrangement like emergency light/gas light<br><br>20. Clamp type earth megger<br>21. Visual fault locator meter                                                     |                                                               |                                                          |                                                          |                            |  |                  |                     |              |  |  |  |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------|----------------------------|--|------------------|---------------------|--------------|--|--|--|--|--|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Annexure – C<br>Hedding: Penalty to be imposed ---<br><br>Airconditioner Maintenance<br>S No 18<br>Breakdown ---<br><br>DG Set Maintenance<br>S No 19<br>Breakdown --- | Penalty to be imposed for the non-compliance/deficiency in the maintenance of OFC, AC and DG covered under this maintenance contract<br><br>Airconditioner Maintenance<br>S No 18 Breakdown ---<br><br>DG Set Maintenance<br>S No 19 Breakdown ---                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Penalty to be imposed for the non-compliance/deficiency in the maintenance of OFC and Others covered under this maintenance contract<br>Airconditioner Maintenance - deleted<br>S No 18 Breakdown --- deleted<br><br>DG Set Maintenance - deleted<br>S No 19 Breakdown --- deleted |                                                               |                                                          |                                                          |                            |  |                  |                     |              |  |  |  |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Section II<br>INSTRUCTIONS TO TENDERERS AND CONDITIONS OF TENDERING<br>Cl.no.5.8 For UDYAM registered firm<br>5.8.1, (i), (ii) & (iii)<br><br>New clause added as (iv) | <p>5.8.1 For Small Scale Units / Micro Small Enterprises / MSME registered with UDYAM under single point registration scheme or any other and participating in this tender, following exemptions shall be available<br/>(i) They shall be exempted from cost of tender documents.<br/>(ii) They shall also be exempted from depositing Earnest money.<br/>These exemptions shall be applicable provided units are registered with UDYAM for tendered item and registration is current and valid. Firms claiming these exemptions are required to submit along with their offer, a copy of their current and valid UDYAM registration certificate for the tendered item/items, otherwise their offer would not be considered.</p> <p>Note: * Firms registered with UDYAM or any other body specified by Ministry of MSME for the tendered supply/work/service is ---valid UDYAM registration certificate for the tendered item/work, otherwise their offer would not be considered.</p> <p>* Exemption of tender cost and EMD are applicable to the firms of UDYAM within the validity period provided the monitory limit -----for similar service contracts” and details as per table below:</p> <p>Declaration of Tenders awarded under UDYAM</p> <table><tr><th rowspan="2">S<br/>N<br/>o</th><th rowspan="2">No. of Tenders participated in current FY: 2022-23 with UDYAM</th><th rowspan="2">No. of Tenders Awarded in current FY: 2022-23 with UDYAM</th><th colspan="3">Details of awarded tenders</th></tr><tr><th>Tender No &amp; Date</th><th>Name of Work/Stores</th><th>Value in Rs.</th></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | S<br>N<br>o                                                                                                                                                                                                                                                                        | No. of Tenders participated in current FY: 2022-23 with UDYAM | No. of Tenders Awarded in current FY: 2022-23 with UDYAM | Details of awarded tenders                               |                            |  | Tender No & Date | Name of Work/Stores | Value in Rs. |  |  |  |  |  |  | <p>5.8.1 For Small Scale Units / Micro Small Enterprises/ MSME registered with UDYAM under Ministry of MSME and participating in this tender, following exemptions shall be available<br/>(i) They shall be exempted from submission of cost of tender documents.<br/>(ii) They shall also be exempted from depositing Earnest money.<br/><br/>These exemptions shall be applicable provided Tenderer registered with UDYAM for tendered item/work/services and registration is current and valid. Firms claiming these exemptions are required to submit along with their offer, a copy of their current and valid UDYAM registration certificate for the tendered item/work/services, otherwise their offer would not be considered, will be treated as invalid and summarily rejected.</p> <p>Note:*Firms--- deleted<br/>* Exemption of ---- deleted</p> <p>Declaration Table --- deleted<br/>It may please--- deleted</p> <p>(iv) However, traders/ distributors/ sole agent/ Works Contract are excluded from the purview of Public Procurement Policy for MSEs Order, 2012. Further, as mentioned in O.M. No. 5/2(2)/2021-E/P &amp; G/Policy dated</p> |
| S<br>N<br>o                                                                                                                                                            | No. of Tenders participated in current FY: 2022-23 with UDYAM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                    |                                                               |                                                          | No. of Tenders Awarded in current FY: 2022-23 with UDYAM | Details of awarded tenders |  |                  |                     |              |  |  |  |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Tender No & Date                                                                                                                                                                                                                                                                   | Name of Work/Stores                                           | Value in Rs.                                             |                                                          |                            |  |                  |                     |              |  |  |  |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                    |                                                               |                                                          |                                                          |                            |  |                  |                     |              |  |  |  |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

*6/9/2022*

|                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                         |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                                                                        | It may please be noted that ----- without above will be treated as invalid and summarily rejected.<br><br>(IV) new clause                                                                                                                                                             | 02.07.2021, Retail and Wholesale traders can register on Udyam Registration Portal for the purpose of Priority Sector Lending (PSL) only. Accordingly, in Udyam site if it is mentioned as below:       |
|                                                                                                                                                                                                                                                                        |  <p>then the tenderer submitted Udyam certificate showing above in Udyam site, will not be considered for exemption of cost of tender and EMD and the their tender will be summarily rejected.</p> |                                                                                                                                                                                                         |
| Form-III Offer Letter                                                                                                                                                                                                                                                  | <p>Bid Security Declaration submitted online at IREPS portal.</p> <p>Action will be taken as per Bid Security Declaration not submitted by the contractor, if: -</p>                                                                                                                  | <p>Deleted</p> <p>The full value of the earnest money shall be forfeited without prejudice to any other right or remedies if: -</p>                                                                     |
| New item                                                                                                                                                                                                                                                               | Annexure-F for beat KM & number of patrollers required per section including 15% Access NW locations and number of Wi-Fi stations/Access Points                                                                                                                                       | Annexure-F for details of beat KM and number of patrollers required per section including 15% Access NW Maintenance locations and number of Wi-Fi stations/Access Points (enclosed to this Corrigendum) |
| <p>All other terms and conditions of tender remain the same.</p> <div style="text-align: right;"> <br/> <b>AGM/POM/SR</b><br/> <b>for RailTel Corporation of India Ltd</b> </div> |                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                         |

**Annexure-F**  
**Details for Beat KM & Number of Patrollers required per section & 15% Access NW Maintenance locations & Number of Wi-Fi Station/Access Points**

| Tender No. | Section Details                                                          | Length of Sec. (KM) | 15% Access Network Location Details under free Maintenance     |       | Beat KM Per Section | No of Patrollers required per Section | Appx. No of Wi-Fi Stations/Access Points (support to Wi-Fi Maintenance) |
|------------|--------------------------------------------------------------------------|---------------------|----------------------------------------------------------------|-------|---------------------|---------------------------------------|-------------------------------------------------------------------------|
|            |                                                                          |                     | City/Town                                                      | RKM   |                     |                                       |                                                                         |
|            | <b>SC&amp;BZA Territory</b>                                              |                     |                                                                |       |                     |                                       |                                                                         |
| 40         | Mudked-Kamareddy, Jakampet-Bodhan                                        | 160                 | NZB                                                            | 8.12  | 40                  | 4                                     | 14                                                                      |
| 41         | Guntakal-Gooty-Tadipatri, Gooty-Anantapur-Dharmavaram & Gooty-Pendekallu | 198                 | GY-TU-ATP                                                      | 12    | 33                  | 6                                     | 22                                                                      |
| 42         | Tadipatri -Yerraguntla-Cudapah-Rajampet-Koduru                           | 190                 | YA                                                             | 28.5  | 38                  | 5                                     | 24                                                                      |
| 43         | Gudur-Renigunta-Tirupathi-Pakala-Katpadi & Renigunta - Koduru            | 240                 | RU,TPTY, Gadanki                                               | 23    | 40                  | 6                                     | 22                                                                      |
| 44         | Narasaraopet-Nandhyala & N.Piduguralla - Savalyapuram                    | 262.3               | NDL,VKN,NRT                                                    | 20.34 | 44                  | 6                                     | 30                                                                      |
|            | <b>Chennai Territory</b>                                                 |                     |                                                                |       |                     |                                       |                                                                         |
| 45         | MIMC (Moore Market Complex)-Gudur                                        | 154                 | Egnore,Athipattu                                               | 23.1  | 40                  | 4                                     | 48                                                                      |
| 46         | Basin Bridge-Arakkonam-Renigunta                                         | 176                 | Avadi , Ayyapakkam                                             | 20    | 35                  | 5                                     | 53                                                                      |
| 47         | Arakkonam-Katpadi-Jolarpet-Dasampatti                                    | 183.5               | Jolerpet,Ambure , Dasampatti,Sampallipatti , Katpatti, Vellure | 12.6  | 45                  | 4                                     | 50                                                                      |
| 48         | Tambaram- Chengalpattu-Kancheepuram-Arakkonam, Chengalpattu-Tindivanam,  | 159.3               | Mahendra world city,Chengalpattu,Palur                         | 6.25  | 40                  | 4                                     | 40                                                                      |

*Signature*  
*29/10/20*

|    |                                                                                                             |       |                                                           |        |    |   |     |
|----|-------------------------------------------------------------------------------------------------------------|-------|-----------------------------------------------------------|--------|----|---|-----|
| 49 | Villupuram-Tindivanam, Villupuram-Pondichery, Villupuram-Cuddalore                                          | 158.6 | Villupuram,Mundiyambakkam,Pondichery , Cinnababu chatiram | 18     | 40 | 4 | 13  |
| 50 | Villupuram-Tiruvanamalai-Arani Road-Katpadi                                                                 | 160.1 | Tiruvanamalai                                             | 6.9    | 40 | 4 | 12  |
| 51 | Salem-Dasampatti, Salem-Metturdam,Salem-Erode                                                               | 180.6 | Salem(City), Erode, sangakri, Kaveri                      | 9      | 35 | 5 | 70  |
| 52 | Virudhachalam-Ariyalur, Virudhachalam-Villupuram, Virudhachalam-Cuddalore Port Junction                     | 165.1 | Vadalu NLC                                                | 12.2   | 40 | 4 | 22  |
| 53 | Salem-Virudhachalam, Salem-Namakkal                                                                         | 190.3 | Chinnasalem,Aathur, Namakkal, Kalangani (KLG)             | 6      | 40 | 5 | 11  |
| 54 | Erode-Tiruppur-Coimbatore, Coimbatore-Ooty                                                                  | 181.9 | Coimbatore, Ooty, Metupalayam, kunnure, Tirupure          | 27.285 | 35 | 5 | 108 |
| 55 | Karur-Erode, Karur-Namakkal, Karur-Trichy                                                                   | 174.9 | karur,Pasur ,Pugalur,Puliyur                              | 13.7   | 35 | 5 | 68  |
| 56 | Mayavaram-Cuddalore Port Jn, Mayavaram-Kumbakonam-Tanjavur, Mayavaram-Tiruvavur                             | 184.7 | Mayavaram,kumbakonam                                      | 3.8    | 35 | 5 | 46  |
| 57 | Tanjore -Tiruvavur-Nagore-Karaikal, Nagapattinam-Velankanni, Nagapattinam-Mannargudi, Tiruvavur-Pattukottai | 194.9 | Tiruvavur, Thanjavur, Jimer karikkal                      | 8.5    | 40 | 5 | 44  |
| 58 | Trichy-Manapara,Trichy-Ariyalur,Trichy-Tanjavur                                                             | 155.8 | Trichy                                                    | 15.3   | 40 | 4 | 39  |
| 59 | Dindugul-Manapara,Dindugul-Karur,Dindugul-Palani                                                            | 188.6 | Dindugul                                                  | 4      | 40 | 5 | 44  |
| 60 | Madurai-Virudhunagar, Madurai-Manamadurai, Madurai-Dindugul                                                 | 152.7 | Madurai, Viruthunagar                                     | 11.45  | 40 | 4 | 70  |

*Signature*

|    |                                                                                                                                              |        |                                     |      |       |   |    |
|----|----------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------------------------------|------|-------|---|----|
| 61 | Manamadurai-Rameswaram,<br>Manamadurai-Virudhunagar                                                                                          | 179.9  | Rameswaram, Ramnad &<br>Manamadurai | 4    | 45    | 4 | 46 |
| 62 | Virudhunagar-Kovilpatti-Maniyach-<br>Tuticorin, Virudhunagar-<br>Rajapalayam                                                                 | 168.2  | Tutucorin, Kovilpatti, Virudhnagar  | 12   | 40    | 4 | 23 |
| 63 | Maniyachi-Tirunelveli-Nagercoil,<br>Tirunelveli-Tiruchendur                                                                                  | 163.5  | Tiunelveli                          | 4.6  | 40    | 4 | 13 |
| 64 | Rajapalayam-Tenkasi, Tenkasi-<br>Tirunelveli, Tenkasi- New Aryankavu                                                                         | 168.6  | Tenkasi                             | 0.5  | 40    | 4 | 39 |
|    | <b>Ernakulam Territory</b>                                                                                                                   |        |                                     |      |       |   |    |
| 65 | Ernakulam-Thrissur, Ernakulam-<br>Irumpanam, Ernakulam Cochin<br>Harbour-Idapally Vallarpadam,<br>Poonkunnam-Guruvayur, Shornur-<br>Thrissur | 207.69 |                                     |      |       |   |    |
| 66 | Shornur-Palghat-Podanur, Shornur-<br>Calicut, Shornur-Nilambur                                                                               | 256    | Madurai, Virudhunagar               | 26   | 52    | 4 | 21 |
| 67 | Palghat-Pollachi-Palani, Pollachi-<br>Podanur- Irugur, Podanur-<br>Coimbatore                                                                | 176.35 | Rameswaram, Ramnad &<br>Manamadurai | 10   | 51    | 5 | 24 |
|    | <b>Bangalore Territory</b>                                                                                                                   |        | Tutucorin, Kovilpatti, Virudhnagar  | 0    | 59    | 3 | 13 |
| 68 | Londa-Belgaum-Miraj                                                                                                                          | 188.9  | BGM, GPB, KUD                       | 12.3 | 40    | 5 | 16 |
| 69 | Ambewadi-Alnawar-Londa-Vasco                                                                                                                 | 168.23 | LD, QLM                             | 0.3  | 40    | 4 | 12 |
| 70 | Maddur-Mandya-<br>Mysore-Akhihebbalu, Mysore-<br>Chamarajanagar & DRDO DTC<br>Mysore-Krishnarajanagar                                        | 197.3  | MAD, MYA, MYS (PF6), AKK            | 27   | 40    | 5 | 18 |
| 71 | Chikjajur-Chitradurga-Challakere-<br>Rayadurga-Kalyanadurga-<br>Kadiridevarapalli                                                            | 182.8  | CTA, CHKE                           | 4.8  | 50-60 | 4 | 10 |
| 72 | Mangalore-Kabakaputtur-<br>Subramanya Road-Sakleshpur &<br>Mangalore-Tokkur                                                                  | 169.56 | SKLR                                | 0    | 40    | 4 | 10 |

*Cent*  
5/9/2022

|    |                                                                                                              |        |                      |      |       |   |    |
|----|--------------------------------------------------------------------------------------------------------------|--------|----------------------|------|-------|---|----|
| 73 | Davengere-Haveri & Vyasa Colony Junction-Kotturu-Amaravathi Colony                                           | 189    | DVG, HVR             | 14.1 | 50-60 | 4 | 12 |
| 74 | Hospet-Bellary-Rayadurga-Torantal-Ranjitpura,Hospet-Swamihalli & Tornagallu-RNJP                             | 200.24 | BAY, RDG             | 16.6 | 40    | 5 | 20 |
| 75 | Hubli-Alnawar, Haveri-Hubli-Gadag                                                                            | 190    | UBL, UBL, DWR        | 20.6 | 40    | 5 | 24 |
| 76 | Bayappanahalli-Hosur-Dharmapuri-Omalur                                                                       | 194.5  | HSRA, DPJ            | 9.14 | 50-60 | 4 | 14 |
| 77 | Chikkabanavara-Kunigal-Shravanbelagola-Channarayapatna-Hassan                                                | 166.4  | KIGL, SBGA           | 0    | 50-60 | 4 | 11 |
| 78 | Kadur-Arsikere-Ammasandra-Tumkur & IB Arisikere-Honavalli Road                                               | 148.75 | ASK, AMSA, TK        | 4.8  | 50-60 | 3 | 16 |
| 79 | Dodballapur-Yelahanka-Hindupur-Penukonda-Dharmavaram, SSP Nilayam & Dodballapur-Dharmavaram SP/SSP Rly cable | 240.87 | DBU HUP,             | 15.8 | 40    | 6 | 20 |
| 80 | Birur-Shivamogga Town -Talguppa                                                                              | 160    | Shimoga, Bhadravathi | 1.9  | 50-60 | 3 | 10 |
| 81 | Akkihhebbalu-Hasan-Arsikere& Sakleshpur-Hasan                                                                | 152.7  | Hasan                | 22.5 | 40    | 4 | 11 |
| 82 | Chikmagalore-Kadur-Birur-Chikjajur-Davengere                                                                 | 177.2  | Birur                | 2    | 50-60 | 3 | 14 |

Sept 2022