



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/5531175
Dated/दिनांक : 26-11-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	26-12-2024 15:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	26-12-2024 15:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	60 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Railways
Department Name/विभाग का नाम	Railways Public Sector Undertakings
Organisation Name/संगठन का नाम	Railtel Corporation Of India Limited
Office Name/कार्यालय का नाम	Mahalaxmi Mumbai
Total Quantity/कुल मात्रा	2558
Item Category/मद केटेगरी	SOR 1 , SOR 2 , SOR 3 , SOR 4 , SOR 5 , SOR 6 , SOR 7 , SOR 8 , SOR 9 , SOR 10 , SOR 11 , SOR 12 , SOR 13 , SOR 14 , SOR 15 , SOR 16 , SOR 17 , SOR 18 , SOR 19 , SOR 20 , SOR 21 , SOR 22 , SOR 23 , SOR 24 , SOR 25 , SOR 26 , SOR 27 , SOR 28 , SOR 29 , SOR 30 , SOR 31 , SOR 32 , SOR 33 , SOR 34 , SOR 35 , SOR 36 , SOR 37 , SOR 38 , SOR 39 , SOR 40

Bid Details/बिड विवरण

GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS

Router Type II as per Technical specification, Router Type IV as per Technical specification, Router Type V as per Technical specification, Router Type VIII as per Technical specification , Router Type IX as per Technical specification , Router Type X as per Technical specification , Switch Type I as per Technical specification, Switch Type IV as per Technical specification, Switch Type V as per Technical specification, Switch Type VI as per Technical specification, SFP+ 10G 10 KM BIDI as per Technical specification, SFP+ 10G 40 KM BIDI as per Technical specification, SFP 1G 40 KM BIDI as per Technical specification, SFP 1G 10 KM BIDI as per Technical specification, SFP+ 10G 60 KM BIDI as per Technical specification, SFP+ 10G 10Km Dual Fiber as per Technical specification, SFP 1G 20 KM BIDI as per Technical specification, SFP 1G 40 KM dual fiber as per Technical specification, XFP 10G 10 KM Dual Fiber as per Technical specification, QSPF-28 LR4 as per Technical specification, Wifi Router as per Technical specification, Rack - 19" 9U as per Technical specification, Outdoor 19"-6Ux600D wall mount industrial heavy duty racks , Server Rack- 42U as per Technical specification, Breakout Cable (LC*4 one end, Single Mode 10 Mtr) as per Technical specification, Patch Cord E2000/APC-E2000/APC-02 Mtr as per Technical specification, Patch Cord E2000/APC-LC/PC-05 Mtr as per Technical specification, Patch Cord E2000/APC-LC/PC-10 Mtr as per Technical specification, Patch Cord E2000/APC-LC/PC-20 Mtr as per Technical specification, Patch Cord LC/PC-LC/PC-02 Mtr as per Technical specification, Patch Cord LC/PC-LC/PC-05 Mtr as per Technical specification, Patch Cord LC/PC-LC/PC-10 Mtr as per Technical specification, Patch Cord LC/PC-LC/PC-20 Mtr as per Technical specification, Attenuator LC/PC-M/F-10 dB as per Technical specification, Attenuator LC/PC-M/F-05 dB as per Technical specification, Provision of 48 Port E2000 FDMS as per Technical specification, Pigtail E2000 type APC 1m as per Technical specification, STP Cable-CAT6 as per Technical specification, Provision of RJ 45 connector as per Technical specification, UPS 2KVA as per Technical specification

Searched String: Router Type II as per Technical specification

VRLA Batteries as per Technical Specification, Mobile Containers for Solid Waste as per IS 12402, Urea (Technical) as per IS 1781, Modular Cold Rooms, Moderate Heat Duty Fireclay Refractories, Group A as per IS 6, Steel Clothes Lockers (Version 2) as per IS 3314, Steel Butt Hinges as per IS 1341, Rubber Gloves for Electrical Purposes as per IS 4770, Aniline, Technical as per IS 2833, Mobile Containers For Solid Waste (Industrial) - IS 12402

Searched String: Router Type IV as per Technical specification

VRLA Batteries as per Technical Specification, Mobile Containers for Solid Waste as per IS 12402, Urea (Technical) as per IS 1781, Bomb Blanket (MHA), Aniline, Technical as per IS 2833, Steel Clothes Lockers (Version 2) as per IS 3314, Trichloroethylene, Technical as per IS 245, Ghillie Suit (MHA), Normal Butyl Alcohol, Technical as per IS:361, Rubber Gloves for Electrical Purposes as per IS 4770

Bid Details/As per	Searched String: Router Type V as per Technical Specification
	<p>VRLA Batteries as per Technical Specification, Mobile Containers for Solid Waste as per IS 12402, Urea (Technical) as per IS 1781, Modular Cold Rooms, Aniline, Technical as per IS 2833, Steel Clothes Lockers (Version 2) as per IS 3314, Trichloroethylene, Technical as per IS 245, Rubber Gloves for Electrical Purposes as per IS 4770, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Mobile Containers For Solid Waste (Industrial) - IS 12402</p> <p>Searched String: Router Type VIII as per Technical specification</p> <p>VRLA Batteries as per Technical Specification, Mobile Containers for Solid Waste as per IS 12402, Urea (Technical) as per IS 1781, Modular Cold Rooms, Aniline, Technical as per IS 2833, Steel Clothes Lockers (Version 2) as per IS 3314, Trichloroethylene, Technical as per IS 245, Rubber Gloves for Electrical Purposes as per IS 4770, Normal Butyl Alcohol, Technical as per IS:361, Mobile Containers For Solid Waste (Industrial) - IS 12402</p> <p>Searched String: Router Type IX as per Technical specification</p> <p>VRLA Batteries as per Technical Specification, Mobile Containers for Solid Waste as per IS 12402, Urea (Technical) as per IS 1781, Modular Cold Rooms, Aniline, Technical as per IS 2833, Steel Clothes Lockers (Version 2) as per IS 3314, Trichloroethylene, Technical as per IS 245, Rubber Gloves for Electrical Purposes as per IS 4770, Normal Butyl Alcohol, Technical as per IS:361, Mobile Containers For Solid Waste (Industrial) - IS 12402</p> <p>Searched String: Router Type X as per Technical specification</p> <p>VRLA Batteries as per Technical Specification, Cotton Towelling and Towels (V2) as per IS 7056, Urea (Technical) as per IS 1781, Modular Cold Rooms, Aniline, Technical as per IS 2833, Mobile Containers for Solid Waste as per IS 12402, Trichloroethylene, Technical as per IS 245, Steel Clothes Lockers (Version 2) as per IS 3314, Normal Butyl Alcohol, Technical as per IS:361, Rubber Gloves for Electrical Purposes as per IS 4770</p> <p>Searched String: Switch Type I as per Technical specification</p> <p>VRLA Batteries as per Technical Specification, Mobile Containers for Solid Waste as per IS 12402, Urea (Technical) as per IS 1781, Modular Cold Rooms, Steel Butt Hinges as per IS 1341, Steel Clothes Lockers (Version 2) as per IS 3314, Aniline, Technical as per IS 2833, Rubber Gloves for Electrical Purposes as per IS 4770, Trichloroethylene, Technical as per IS 245, Mobile Containers For Solid Waste (Industrial) - IS 12402</p> <p>Searched String: Switch Type IV as per Technical specification</p> <p>VRLA Batteries as per Technical Specification, Mobile Containers for Solid Waste as per IS 12402, Urea (Technical) as per IS 1781, Bomb Blanket (MHA), Aniline, Technical as</p>

Bid Details/As per	per IS 2833, Steel Clothes Lockers (Version 2) as per IS 3314, Trichloroethylene, Technical as per IS 245, Ghillie Suit (MHA), Normal Butyl Alcohol, Technical as per IS:361, Rubber Gloves for Electrical Purposes as per IS 4770
	<p>Searched String: Switch Type V as per Technical specification</p> <p>VRLA Batteries as per Technical Specification, Mobile Containers for Solid Waste as per IS 12402, Urea (Technical) as per IS 1781, Modular Cold Rooms, Aniline, Technical as per IS 2833, Steel Clothes Lockers (Version 2) as per IS 3314, Trichloroethylene, Technical as per IS 245, Rubber Gloves for Electrical Purposes as per IS 4770, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Mobile Containers For Solid Waste (Industrial) - IS 12402</p> <p>Searched String: Switch Type VI as per Technical specification</p> <p>VRLA Batteries as per Technical Specification, Mobile Containers for Solid Waste as per IS 12402, Urea (Technical) as per IS 1781, Towel Hand Cotton Turkish (IAF), Aniline, Technical as per IS 2833, Steel Clothes Lockers (Version 2) as per IS 3314, Trichloroethylene, Technical as per IS 245, Rubber Gloves for Electrical Purposes as per IS 4770, Normal Butyl Alcohol, Technical as per IS:361, Mobile Containers For Solid Waste (Industrial) - IS 12402</p> <p>Searched String: SFP+ 10G 10 KM BIDI as per Technical specification</p> <p>VRLA Batteries as per Technical Specification, Steel Bookcases as per IS 7761, Manila Ropes (in KG) (V3) as per IS 1084, Modular Cold Rooms, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Volleyball Net as per IS 3345, Electronic Weighing Systems as per IS 9281 (Part I, Part II, Part III, Part IV), Disposable Syringes as per IS 10258, Electric Kettles and Jugs for Household as per IS 367, The Multilayered Cross Laminated Sheets / Tarpaulins / Covers / Agricultural Films as per IS 14611</p> <p>Searched String: SFP+ 10G 40 KM BIDI as per Technical specification</p> <p>VRLA Batteries as per Technical Specification, Pad Lock Various (As Per Defence Specification), Modular Cold Rooms, Lumbo Sacral Belt Kit (Size - Large) with Packing Box (Alimco), Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656, L 1 Fingerprint Registered Device Scanners for Bio - Metric Authentication (UIDAI), Flaps for Automotive Vehicles Pneumatic Tyres and Tubes as per IS 9168 (Latest), Bomb Basket (MHA)</p> <p>Searched String: SFP 1G 40 KM BIDI as per Technical specification</p> <p>VRLA Batteries as per Technical Specification, Industrial Safety Gloves - Leather and Cotton, Modular Cold Rooms, Pad Lock Various (As Per Defence Specification), Towel Hand Cotton Turkish (IAF), Tapered Bearings as per IS 12102, Lumbo Sacral Belt Kit (Size - Large) with Packing Box (Alimco), Cream Laid and Cream Wove Paper (V2) as per IS 1848 (Part 1), PVC Copper Cable Single Core and Multi Core</p>

Bid Details/सूचना	Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, L 1 Fingerprint Registered Device Scanners for Bio - Metric Authentication (UIDAI)
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: SFP 1G 10 KM BIDI as per Technical specification</p> <p>VRLA Batteries as per Technical Specification, Industrial Safety Gloves - Leather and Cotton, Manila Ropes (in KG) (V3) as per IS 1084, Modular Cold Rooms, Electric Kettles and Jugs for Household as per IS 367, Pad Lock Various (As Per Defence Specification), Towel Hand Cotton Turkish (IAF), shoes school pvc boys girls, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Taflon Tape as per IS 14635</p> <p>Searched String: SFP+ 10G 60 KM BIDI as per Technical specification</p> <p>VRLA Batteries as per Technical Specification, Modular Cold Rooms, Lumbo Sacral Belt Kit (Size - Large) with Packing Box (Alimco), L 1 Fingerprint Registered Device Scanners for Bio - Metric Authentication (UIDAI), Flaps for Automotive Vehicles Pneumatic Tyres and Tubes as per IS 9168 (Latest), Bomb Basket (MHA)</p> <p>Searched String: SFP+ 10G 10Km Dual Fiber as per Technical specification</p> <p>VRLA Batteries as per Technical Specification, Steel Bookcases as per IS 7761, Dual Iris Scanner as per UIDAI Specification, Modular Cold Rooms, Optical Fixed Attenuator as per TEC Specification, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Ribbon Optical Fiber Splicing Machine as per TEC Specification, Volleyball Net as per IS 3345, Electronic Weighing Systems as per IS 9281 (Part I, Part II, Part III, Part IV), Disposable Syringes as per IS 10258</p> <p>Searched String: SFP 1G 20 KM BIDI as per Technical specification</p> <p>VRLA Batteries as per Technical Specification, Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V2) as per IS 2932, Tactical 3 Point Sling Universal as per IS 16725, Modular Cold Rooms, Industrial Safety Gloves - Leather and Cotton, Pad Lock Various (As Per Defence Specification), Towel Hand Cotton Turkish (IAF), Battery Cell as per IS 9128, IS 8144, Electric Kettles and Jugs for Household as per IS 367, Volleyballs as per IS 417:1986</p> <p>Searched String: SFP 1G 40 KM dual fiber as per Technical specification</p> <p>Pad Lock Various (As Per Defence Specification)</p> <p>Searched String: XFP 10G 10 KM Dual Fiber as per Technical specification</p> <p>Respirable Dust Sampler as per IS 5182, L 1 Fingerprint Registered Device Scanners for Bio - Metric Authentication (UIDAI), Bomb Basket (MHA)</p> <p>Searched String: QSPF-28 LR4 as per Technical specification</p> <p>VRLA Batteries as per Technical Specification, Steel</p>

Bid Details/As per

Bookcases as per IS 7761, Aniline, Technical as per IS 2833, Modular Cold Rooms, Urea (Technical) as per IS 1781, XLPE

Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Trichloroethylene, Technical as per IS 245, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Normal Butyl Alcohol, Technical as per IS:361, Rubber Gloves for Electrical Purposes as per IS 4770

Searched String: Wifi Router as per Technical specification

VRLA Batteries as per Technical Specification, Industrial Safety Gloves - Leather and Cotton, Urea (Technical) as per IS 1781, Modular Cold Rooms, Aniline, Technical as per IS 2833, PABX System - EPABX (V2), Trichloroethylene, Technical as per IS 245, mugs stainless steel single double walled with double wall moulded handle, Normal Butyl Alcohol, Technical as per IS:361, Mosquito Nets as per IS 9886

Searched String: Rack - 19" 9U as per Technical specification

VRLA Batteries as per Technical Specification, Metal Shelving Racks as per IS 1883, Urea (Technical) as per IS 1781, Carbon Tape 19 MM(OFB-DEFENCE), Aniline, Technical as per IS 2833, Portable Fire Extinguishers (V2) as per IS 15683:2018, Trichloroethylene, Technical as per IS 245, Modular Cold Rooms, Elastic Tape- as per IS: 9686, Surgical Gloves as per IS 4148

Searched String: Outdoor 19"-6Ux600D wall mount industrial heavy duty racks

Heavy Duty Storage Racks, Split Air Conditioner Including Green AC, Wall Mount Type, Hand Dryer (V2)

Searched String: Server Rack- 42U as per Technical specification

VRLA Batteries as per Technical Specification, Metal Shelving Racks as per IS 1883, Urea (Technical) as per IS 1781, Continuous Ambient Air Quality Monitoring System (CAAQMS), Aniline, Technical as per IS 2833, Networking / Server Rack, Trichloroethylene, Technical as per IS 245, Modular Cold Rooms, Normal Butyl Alcohol, Technical as per IS:361, Industrial Safety Gloves - Leather and Cotton

Searched String: Breakout Cable (LC*4 one end, Single Mode 10 Mtr) as per Technical specification

Category not available on GeM for the text string uploaded by the buyer

Searched String: Patch Cord E2000/APC-E2000/APC-02 Mtr as per Technical specification

Category not available on GeM for the text string uploaded by the buyer

Searched String: Patch Cord E2000/APC-LC/PC-05 Mtr as per Technical specification

Category not available on GeM for the text string uploaded by the buyer

Searched String: Patch Cord E2000/APC-LC/PC-10 Mtr as per Technical specification

Bid Details/Part	Category not available on GeM for the text string uploaded by the buyer
	<p>Searched String: Patch Cord E2000/APC-LC/PC-20 Mtr as per Technical specification</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Patch Cord LC/PC-LC/PC-02 Mtr as per Technical specification</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Patch Cord LC/PC-LC/PC-05 Mtr as per Technical specification</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Patch Cord LC/PC-LC/PC-10 Mtr as per Technical specification</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Patch Cord LC/PC-LC/PC-20 Mtr as per Technical specification</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Attenuator LC/PC-M/F-10 dB as per Technical specification</p> <p>Electronic Weighing Systems as per IS 9281 (Part I, Part II, Part III, Part IV), Modular Cold Rooms, Flaps for Automotive Vehicles Pneumatic Tyres and Tubes as per IS 9168 (Latest), Extinguisher Fire Defence Dry Powder 10 Kg Capacity (Without Charge), Heavy Vehicle Driving Simulator (MHA)</p> <p>Searched String: Attenuator LC/PC-M/F-05 dB as per Technical specification</p> <p>Improved Space Heating Device (Bukhari) (DIPAS, DRDO) (Approved By MHA), Modular Cold Rooms, Telecommunication Cable - Fully Filled Petroleum Jelly or Absorbent Thixotropic Gel (V2)</p> <p>Searched String: Provision of 48 Port E2000 FDMS as per Technical specification</p> <p>Socks, Men's Wool (Defence), Pre - School Education (PSE) Kit for The State of Bihar</p> <p>Searched String: Pigtail E2000 type APC 1m as per Technical specification</p> <p>VRLA Batteries as per Technical Specification, Mobile Containers for Solid Waste as per IS 12402, Modular Cold Rooms, Mobile Containers For Solid Waste (Industrial) - IS 12402, Rubber Gloves for Electrical Purposes as per IS 4770, Industrial Safety Gloves - Leather and Cotton, Foldable Umbrellas as per IS 10675, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Non - Modular Piano Type Domestic Electrical Switches as per IS 3854, PVC Insulated Unsheathed Cable</p>

	with Flexible Conductor as per IS 694
<p align="center">Bid Details/बिड विवरण</p>	<p>Searched String: STP Cable-CAT6 as per Technical specification</p> <p>VRLA Batteries as per Technical Specification, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Urea (Technical) as per IS 1781, Modular Cold Rooms, Aniline, Technical as per IS 2833, Steel Bookcases as per IS 7761, Trichloroethylene, Technical as per IS 245, Steel Clothes Lockers (Version 2) as per IS 3314, Normal Butyl Alcohol, Technical as per IS:361, Multicore Cable as per IS 694</p> <p>Searched String: Provision of RJ 45 connector as per Technical specification</p> <p>VRLA Batteries as per Technical Specification, Pad Lock Various (As Per Defence Specification), Cover of Connector As per Military Standards, Special Proofed Canvas / Duck as per IS 6803, Twill Weave Wool Fabric Cloth Serge Dress as per IS 2319:1987, Durry Small (IAF), Mini Sexual Assault Evidence Collection Kit for Investigation Officer As Per DFSS Specification, Modular Cold Rooms, Sexual Assault Evidence Collection Kit (SAECK) for Investigation Officer as Per BPR&D Specification, Towel Hand Cotton Turkish (IAF)</p> <p>Searched String: UPS 2KVA as per Technical specification</p> <p>VRLA Batteries as per Technical Specification, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Urea (Technical) as per IS 1781, Modular Cold Rooms, Aniline, Technical as per IS 2833, Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Trichloroethylene, Technical as per IS 245, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Normal Butyl Alcohol, Technical as per IS:361, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Layer 2 Access Switch (V2) • Router • Small Form - Factor Pluggable Transceiver
BOQ Title/बीओक्यू शीर्षक	Procurement of Router Switches SFP Rack etc for Western Region
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	134 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No

Bid Details/बिड विवरण

Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	40 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	SOR 5
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	26822884
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Financial Document Required/वित्तीय दस्तावेज की आवश्यकता है।	Yes
Arbitration Clause	Yes (Arbitration clause document) as per DoE OM No.F.1/2/2024-PPD dated 03.06.2024 Arbitration should not be routinely included in contracts
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	536500

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00

Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).

39

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

PED/Western Region

RailTel Corporation of India, Ltd, Western Region, Mahalaxmi, Mumbai - 400013

(Mr. Vinod Kumar Agarwal)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy

for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

SOR 1

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	2	120

SOR 2

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	10	120

SOR 3

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	5	120

SOR 4

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	40	120

SOR 5

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	1	120

SOR 6

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	1	120

SOR 7

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	2	120

SOR 8

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	27	120

SOR 9

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document

[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	57	120

SOR 10

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document

[View File](#)

BOQ Detail Document

[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	46	120

SOR 11

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	14	120

SOR 12

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	154	120

SOR 13

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	46	120

SOR 14

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	89	120

SOR 15

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	26	120

SOR 16

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	15	120

SOR 17

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	10	120

SOR 18

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	6	120

SOR 19

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	2	120

SOR 20

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	10	120

SOR 21

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	2	120

SOR 22

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	2	120

SOR 23

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	2	120

SOR 24

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	50	120

SOR 25

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	3	120

SOR 26

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	30	120

SOR 27

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	50	120

SOR 28

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	50	120

SOR 29

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	50	120

SOR 30

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	30	120

SOR 31

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	50	120

SOR 32

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	50	120

SOR 33

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	30	120

SOR 34

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	100	120

SOR 35

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	100	120

SOR 36

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	8	120

SOR 37

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	384	120

SOR 38

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	1	120

SOR 39

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	1000	120

SOR 40

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kheem Singh	400013,Raitel Corporation Of India Limited,Western Railway Microwave Complex,Senapati Bapat Marg,Mahalaxmi West,Mumbai 400013 Maharashtra	3	120

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to

such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---