

Bid Document

Bid Details	
Bid End Date/Time	27-05-2021 15:00:00
Bid Opening Date/Time	27-05-2021 15:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	60 (Days)
Ministry/State Name	Ministry Of Railways
Department Name	Na
Organisation Name	N/a
Office Name	Southern Region
Total Quantity	113
Item Category	Networking/Server Rack
Years of Past Experience required	3 Year (s)
MSE Exemption for Years Of Experience	Yes
Startup Exemption for Years Of Experience	Yes
Document required from seller	Experience Criteria,Past Performance,Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	40 %
Bid to RA enabled	No
Primary product category	Networking/Server Rack
Time allowed for Technical Clarifications during technical evaluation	3 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value	875584
Evaluation Method	Total value wise evaluation

EMD Detail

Advisory Bank	State Bank of India
EMD Percentage(%)	2.00
EMD Amount	17512

ePBG Detail

Advisory Bank	State Bank of India
ePBG Percentage(%)	3.00
Duration of ePBG required (Months).	14

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

Asst GM/Impl Co-ord/SR
Southern Region, NA, N/A, Ministry of Railways
(Ravi Kumar)

Splitting

Bid splitting not applied.

MII Purchase Preference

MII Purchase Preference	Yes
-------------------------	-----

MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public

Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

5. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Networking/Server Rack (69 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Specifications	Type of Server Racks	Rack Enclosures, Portable Racks
	Size of Server Rack Enclosure	6U
	Depth of the Rack (mm)	Upto 600
	Front glass Door	Yes
	Warranty (Years)	1

Additional Specification Parameters - Networking/Server Rack (69 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
------------------------------	----------------------------------

Specification Parameter Name	Bid Requirement (Allowed Values)
6U Rack Specification	Wall mount racks, Size of Rack Enclosure- 6U, Depth of the Rack (mm)- 600, Mount Type: Wall mount, Front glass Door: Yes, Type of glass used in front door: Transparent Toughened Glass, Material used for rear door: Cold Rolled Steel Metal, Rear Door: Yes, Side Panels: Fixed type, Secure Locks: Available, Keyboard Tray Sliding and Rotary: No, Shelf For CRT/TFT Display: No, Cable Channel in rear side for cable management: Yes, Support cable entry from top or bottom: Yes,
6U Rack Specification continued	Horizontal managers: Yes, Numbers of Rack trays: 1, Number of Fan For Heat dissipation (nos): 1, Number of fan trays: 1, Heavy Duty Caster Wheels: No, If yes, then Front Break Options: N/A, Load Bearing Capacity (Kgs): 25, If Wall mount racks then ,Swing-Out Racks: N/A, Dust or water resistant: no, PDU Power Strips , 6x5A with MCB protections: Available. Copper Earthing Strip -Yes

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Pazhanivelan Muthuswamy	600008,RAILTEL CORPORATION OF INDIA LTD., 4th Floor, Chief Administrative Officer Block, CAO/CN/MS, E.V.R. Periyar Salai, Chennai - 600008 Tel: +91-44-26481271 Fax: +91-44-26481272	17	45
2	Ravi Kumar	500071,2nd Floor, B-Block, RailNilayam, Secunderabad-500071, Telangana.	52	45

Networking/Server Rack (3 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Specifications	Type of Server Racks	Rack Enclosures, Portable Racks, 5G Core Network Rack
	Size of Server Rack Enclosure	9U
	Depth of the Rack (mm)	Upto 600
	Front glass Door	Yes
	Warranty (Years)	1, 3

Additional Specification Parameters - Networking/Server Rack (3 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
9 U Rack Specification	Type of Racks: Wall mount racks, Size of Rack Enclosure- 9U, Depth of the Rack (mm)- 600, Mount Type: Wall mount, Front glass Door: Yes, Type of glass used in front door: Transparent Toughened Glass, Material used for rear door: Cold Rolled Steel Metal, Rear Door: Yes, Side Panels: Fixed type, Secure Locks: Available, Keyboard Tray Sliding and Rotary: No, Shelf For CRT/TFT Display: No, Cable Channel in rear side for cable management: Yes, Support cable entry from top or bottom: Yes,
9 U Rack Specification continued	Horizontal managers: Yes, Numbers of Rack trays: 2, Number of Fan For Heat dissipation (nos): 2, Number of fan trays: 1, Heavy Duty Caster Wheels: No, If yes, then Front Break Options: N/A, Load Bearing Capacity (Kgs): 45, If Wall mount racks then ,Swing-Out Racks: N/A, Dust or water resistant: no, PDU Power Strips , 6x5A with MCB protections: Available. Copper Earthing Strip -Yes

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Pazhanivelan Muthuswamy	600008,RAILTEL CORPORATION OF INDIA LTD., 4th Floor, Chief Administrative Officer Block, CAO/CN/MS, E.V.R. Periyar Salai, Chennai - 600008 Tel: +91-44-26481271 Fax: +91-44-26481272	3	45

Networking/Server Rack (1 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Specifications	Type of Server Racks	Rack Enclosures, Portable Racks, 5G Core Network Rack
	Size of Server Rack Enclosure	15U
	Depth of the Rack (mm)	Upto 600
	Front glass Door	Yes
	Warranty (Years)	1

Additional Specification Parameters - Networking/Server Rack (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
15U Rack Tech Specification	Type of Racks: Wall/Floor mount racks, Size of Rack Enclosure- 15U, Depth of the Rack (mm)- 600, Mount Type: Wall/Floor mount, Front glass Door: Yes, Type of glass used in front door: Transparent Toughened Glass, Material used for rear door: Cold Rolled Steel Metal, Rear Door: Yes, Side Panels: Fixed type, Secure Locks: Available, Keyboard Tray Sliding and Rotary: No, Shelf For CRT/TFT Display: No,
15U Rack Technical Specification	Cable Channel in rear side for cable management: Yes, Support cable entry from top or bottom: Yes, Horizontal managers: Yes, Numbers of Rack trays: 2, Number of Fan For Heat dissipation (nos): 2, Number of fan trays: 1, Heavy Duty Caster Wheels: yes, If yes, then Front Break Options: Available, Load Bearing Capacity (Kgs): 100, If Wall mount racks then ,Swing-Out Racks: N/A, Dust or water resistant: no, PDU Power Strips , 6x5A with MCB protections: Available.Copper Earthing Strip -Yes

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ravi Kumar	500071,2nd Floor, B-Block, RailNilayam, Secunderabad-500071, Telangana.	1	45

Networking/Server Rack (31 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Specifications	Type of Server Racks	Rack Enclosures, Portable Racks, 5G Core Network Rack
	Size of Server Rack Enclosure	27U
	Depth of the Rack (mm)	Upto 600
	Front glass Door	Yes
	Warranty (Years)	1

Additional Specification Parameters - Networking/Server Rack (31 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
27 U Rack Technical Specs	Type of Racks: Floor mount Enclosure, Size of Rack Enclosure- 27U, Depth of the Rack (mm)- 600 mm, Mount Type: Free-Standing floor mount, Front glass Door: Yes, Type of glass used in front door: Transparent Toughened Glass, Material used for rear door: Cold Rolled Steel Metal/CRCA Steel, Rear Door: Yes, Side Panels: Fixed type, Secure Locks: Available, Keyboard Tray Sliding and Rotary: No, Shelf For CRT/TFT Display: No, Cable Channel in rear side for cable management: Yes,
27U Racj Tech Specifications	Support cable entry from top or bottom: Yes, Horizontal managers: Yes, Numbers of Rack trays: 4, Number of Fan For Heat dissipation (nos): 4, Number of fan trays: 1, Heavy Duty Caster Wheels: Yes, If yes, then Front Break Options: Available, Load Bearing Capacity (Kgs): 300, If Wall mount racks then ,Swing-Out Racks: N/A, Dust or water resistant: no, PDU Power Strips , 12x5A with MCB protections: Available. Copper Earthing Strip -Yes

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ravi Kumar	500071,2nd Floor, B-Block, RailNilayam, Secunderabad-500071, Telangana.	18	45
2	Gerard Aloysius J	560009,VECTOR HOUSE, 2nd FLOOR, EAST WING, NO.15, 1st MAIN, 6TH CROSS, Gandhi Nagar, BANGALORE-560009, Bangalore, 560009	13	45

Networking/Server Rack (7 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Specifications	Type of Server Racks	Rack Enclosures, Portable Racks
	Size of Server Rack Enclosure	42U
	Depth of the Rack (mm)	Upto 600
	Front glass Door	Yes
	Warranty (Years)	1

Additional Specification Parameters - Networking/Server Rack (7 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
42U Rack Tech Spec	Type of Racks: Floor mount Enclosure, Size of Rack Enclosure- 42U, Depth of the Rack (mm)- 600 mm, Mount Type: Free-Standing floor mount, Front glass Door: Yes, Type of glass used in front door: Transparent Toughened Glass, Material used for rear door: Cold Rolled Steel Metal/CRCA Steel, Rear Door: Yes, Secure Locks: Available, Keyboard Tray Sliding and Rotary: No, Shelf For CRT/TFT Display: Yes, Copper Earthing Strip -Yes
42U Rack Technical Specification	Cable Channel in rear side for cable management: Yes, Support cable entry from top or bottom: Yes, Vertical & Horizontal managers: Yes, Numbers of Rack trays: 4, Number of Fan For Heat dissipation (nos): 4, Number of fan trays: 1, Heavy Duty Caster Wheels: Yes, If yes, then Front Break Options: Available, Load Bearing Capacity (Kgs): 500, If Wall mount racks then ,Swing-Out Racks: N/A, Dust or water resistant: no, PDU Power Strips , 12x5A with MCB protections: Available.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Suresh O A	682016,1st FLOOR, EASTERN ENTRY TOWER, ERNAKULAM SOUTH RAILWAY STATION, KOCHI-682016.	1	45
2	Ravi Kumar	500071,2nd Floor, B-Block, RailNilayam, Secunderabad-500071, Telangana.	5	45
3	Gerard Aloysius J	560009,VECTOR HOUSE, 2nd FLOOR, EAST WING, NO.15, 1st MAIN, 6TH CROSS, Gandhi Nagar, BANGALORE-560009, Bangalore, 560009	1	45

Networking/Server Rack (2 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Specifications	Type of Server Racks	Rack Enclosures, Portable Racks, 5G Core Network Rack
	Size of Server Rack Enclosure	42U
	Depth of the Rack (mm)	Upto 1000

Specification	Specification Name	Bid Requirement (Allowed Values)
	Front glass Door	Yes
	Warranty (Years)	1

Additional Specification Parameters - Networking/Server Rack (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
19"42U Server Rack Spec	42U Server Rack: Type of Racks: Floor mount Enclosure Server Rack, , Server Rack Dimensions (W x D x H)- 800X1000X2000 Mount Type: Free-Standing floor mount, Front glass Door: NA, Type of glass used in front door: NA, Material used for rear door: Cold Rolled Steel Metal/CRCA Steel, Both Rear and Front doors with Perforation: Yes, Side Panels With Key Locks and Slam Latch: Yes, Secure Locks ,(3 point lock on both front and back door with swing handle): Available,
19"42U Server Rack Addl Specs	Rear Door: Yes, Secure Locks: Available, Keyboard Tray Sliding and Rotary: Yes, Shelf For CRT/TFT Display: Yes, Cable Channel in rear side for cable management: Yes, Support cable entry from top or bottom: Yes 6 Nos required at Top/bottom entry , Vertical & Horizontal managers: Yes, Numbers of Rack trays: 6, Number of Fan For Heat dissipation (nos): NA, , Heavy Duty Caster Wheels: NA,
19"42U Server Rack Additional Spec	If yes, then Front Break Options: NA, Load Bearing Capacity (Kgs): 1000, If Wall mount racks then ,Swing-Out Racks: N/A, Dust or water resistant: no, PDU Power Strips ,: 2 Nos Available Each PDU with 2X16A (32 Amps) MCB & Industrial sockets 2X10(20 nos) Nos of C13-C14 & 2X2(4 nos) Nos of C19-C20 sockets. MCB should have LED indication for monitoring. 2P+G, 32A, IP44, 200-250 V, 50-60 Hz, Industrial Socket(Male and Female Set)- 2 Nos Copper Earthing Strip -Yes

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ravi Kumar	500071,2nd Floor, B-Block, RailNilayam, Secunderabad-500071, Telangana.	2	45

Special terms and conditions-Version:1 effective from 16-04-2021 for category Networking/Server Rack

1.

Buyer Added Bid Specific Additional Terms and Conditions

- Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2. Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.
3. EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.
4. Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.
5. For small scale units registered with NSIC under single point registration Scheme and participating in this tender enquiry, following exemptions are available: -They are exempted from depositing Earnest money. These exemptions are applicable provided units are registered with NSIC FOR tendered item and registration is current and valid. Firms claiming these exemptions are required to submit along with their offer, copy of their current and valid NSIC registration certificate for the tendered item, otherwise their offer would not be considered.
6. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
7. Past Performance Criteria: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (PROVING SUPPLY OF CUMULATIVE ORDER QUANTITY IN ANY ONE YEAR) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the CATEGORY RELATED TO primary product having highest bid value should meet this criterion.
8. **Upload Manufacturer authorization:** Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.
9. Pre-dispatch inspection at Seller premises (Fee/Charges to be borne by the SELLER): Before dispatch, the goods will be inspected by Buyer / Consignee or their Authorized Representative or by Nominated External Inspection Agency (independently or jointly with Buyer or Consignee as decided by the Buyer) at Seller premises for their compliance to the contract specifications. Fee/Charges taken by the External inspection Agency and any external laboratories testing charges shall be borne by the SELLER. For in-house testing, the Sellers will provide necessary facilities free of cost. Seller shall notify the Buyer through e-mail about readiness of goods for pre-dispatch inspection and Buyer will notify the Seller about the Authorized Representative/ Nominated External Inspection Agency and the date for testing. The goods would be dispatched to consignee only after clearance in pre-dispatch inspection. Consignee's right of rejection as per GTC in respect of the goods finally received at his location shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by Buyer/ Consignee or its Nominated External Inspection Agency prior to the goods' shipment. While bidding, the sellers should take into account 7 days FOR INSPECTION from the date of email offering the goods for inspection. Any delay in inspection beyond 7 days shall be on the part of the buyer and shall be regularised without Liquidated Damages. Inspection and external laboratory testing charges shall be borne by the supplier and it shall not be reimbursed by Buyer to them at any point in time. Cost of inspection / testing shall be factored in by the supplier in the cost of the product itself while submitting bid. Following are the tests that are required to be conducted during pre-dispatch inspection: Physical Verification of Technical Parameters as per Specification .INSPECTION AGENCY : The [inspection agency](#) will conduct the inspection and submit the certificate to the supplier as well as the buyers and consignees. The bidder will be solely responsible for pre-inspected material for Quality Assurance including pre-dispatch inspection/ testing at manufacturers site by Buyer / Consignee himself or their authorized representative / committee.
10. Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name RailTel Corporation of India Limited Account No. 327301010373007 IFSC Code UBIN0532738 Bank Name Union Bank of India Branch address SD Road Branch Bhuvna Towers Secunderabad.. Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.
11. **Scope of supply (Bid price to include all cost components) :** Only supply of Goods
12. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated

23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 15% of total value.

13. For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:
 - a. Purchase Order copy along with Invoice(s) with self-certification by the bidder that supplies against the invoices have been executed.
 - b. Execution certificate by client with order value.
 - c. Any other document in support of order execution like Third Party Inspection release note, etc.
14. The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:
 - (i) Single order of at least 35% of estimated bid value; or
 - (ii) Two orders of at least 20% each of estimated bid value; or
 - (iii) Three orders of at least 15% each of estimated bid value.Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---